

Spruce Ridge Resources Ltd.

1080 Conc. 14 RR 4 Simcoe, Ontario N3Y 4K3
Telephone: (519) 428-5327, Fax: (519) 428-5349
www.spruceridgeresources.com

PRESS RELEASE 2010 - 2

April 12, 2010

RX Exploration Cuts 3.13 Ounces Gold and 55.6 Ounces Silver Over 7.4 feet in the Charly Vein System While Driving an Underground Ramp at Drumlummon Mine in Montana

FOR IMMEDIATE RELEASE: Norfolk County, Ontario, Canada, April 12, 2010 - John A. Ryan, President of Spruce Ridge Resources Ltd. (TSX-V:SHL) is pleased to report that RX Exploration's underground exploration ramp currently being driven at the Drumlummon Mine in Montana has crossed a vein within the Charly Vein System at the 500 foot level that assayed an average of 3.13 ounces per tonne ("opt") of Gold and 55.6 opt of Silver over a true vein width of 7.4 feet in channel samples.

Spruce Ridge owns 7,500,000 (7.9%) of the issued and outstanding shares of RX Exploration. Spruce also has 7,500,000 warrants with an exercise price of \$0.60 per share with an expiry date of June 30, 2011.

The complete news release is reproduced below:

3.13 Ounces Gold and 55.6 Ounces Silver Over 7.4 Foot Vein Width as RX Reaches Charly Vein with Underground Ramp at Drumlummon Mine

April 12, 2010 - Winnipeg, Canada – RX Exploration Inc. (CNSX: RXE) (the "Company") reports that an underground exploration ramp currently being driven at the Drumlummon Mine, Montana has crossed a vein within the Charly Vein System at the 500 foot level that assayed an average of 3.13 ounces per tonne ("opt") of Gold and 55.6 opt of Silver over a true vein width of 7.4 feet.

Channel samples taken across the vein are provided in the table below. One 12 inch composite sample within the vein assayed at 7.84 opt Gold and 202.1 opt Silver. In this release "opt" refers to ounces per ton and "g/t" refers to grams per tonne.

Channel Samples across Charly Vein Cross-cut					
Composite Sample Width		Gold		Silver	
12 inches		7.84 opt		202.1 opt	
23 inches		2.50 opt		37.0 opt	
12 inches		5.57 opt		10.8 opt	
12 inches		4.47 opt		126.7 opt	
18 inches		0.03 opt		0.04 opt	
12 inches		0.52 opt		2.7 opt	
Total Width		Gold - Average		Silver - Average	
7.4 ft	2.3 metres	3.13 opt	107.2 g/t	55.6 opt	1904 g/t

A 672 foot internal ramp from the 400 level was started on February 1st and reached the 450 level on March 1st. An exploration cross-cut was then driven west toward the D-Block of the Drumlummon vein. Work continued to push the main internal ramp eastward toward the Charly Vein System which was encountered at the 500 level in early April, 2010.

The vein recently crossed in the Charly Vein System occurs in the same area as previously reported drill hole DDH-102, which intersected a total of 12 ft averaging 1.16 opt gold and 16.7 opt of silver. The 8 ft of DDH-102 that corresponds to the 7.4 feet sampled in the crosscut had an average assay of 1.68 opt gold and 24.7 opt silver.

The Charly Vein System is located about 400 feet east of the Drumlummon Vein and was discovered by RX in 2008. This vein system hosts an inferred NI 43-101 compliant resource of 155,518 tons containing 70,703 ounces of gold and 1,915,560 ounces of silver as reported in the Company's news release dated November 25, 2008.

"Historically, the Drumlummon Mine produced gold and silver from five very high-grade vein systems," commented Murray Nye, President of RX Exploration. "The Charly Vein represents an entirely new vein system and demonstrates the exciting expansion potential of this under developed historic mine."

The D-Block crosscut is currently 114 feet west of the ramp and will encounter the Drumlummon vein in the next few days in the same area as the newly drilled core holes DDH 123 and DDH 124 reported below. These new holes have returned the following assays:

DDH 10-123					
Azimuth	Dip				
147°	-15°				
From	To	Length	True Width	Gold (opt)	Silver (opt)
62'	74'	12'	7.7'	0.44	2.5
98'	106'	8'	5.0'	0.78	9.3
DDH 10-124					
Azimuth	Dip				
147°	-40°				
From	To	Length	True Width	Gold (opt)	Silver (opt)
31'	53'	22'	11'	0.29	1.3
Including					
31'	39'	8'	4'	0.50	2.3
And					
47'	53'	6'	3'	0.32	1.0

Drill sections and a 3D model can be viewed at www.corebox.net or by following a link on the Company's website at www.rxexploration.com

In the 1980's prior operators reported the presence of 160,000 tons of mineralized material in the D-Block zone, below the 400 foot level, grading 0.4 opt gold and 4.0 opt silver. These figures are historical in nature, are not NI 43-101 compliant, and should not be relied upon by investors.

Quality Control/Quality Assurance (QC/QA)

All drill core is logged, photographed, and cut in half with a diamond saw. One half is bagged and shipped to Norris Lab in Norris, MT, while the other half is archived and stored on site. For QC/QA purposes standards, blanks, and repeats are randomly inserted into the sample stream. Selected samples are sent to ALS Chemex Lab, Elko, NV for verification assaying.

Ben D Porterfield (M.Sc. Mineral Economics) (Arizona) is the qualified person responsible for providing the technical details contained in this press release.

About RX Exploration

RX Exploration Inc. is a gold exploration company whose strategy is to re-examine gold projects within North America that have previously reached advanced exploration, underground development or past gold production. The Company is currently focused on re-starting the Drumlummon Mine, its past producing high-grade, bonanza-type, epithermal underground gold and silver mine in Montana.

For further information please contact: **Murray R. Nye, President**, (204) 989-2434

The Company's shares are listed on CNSX (Symbol: RXE). There are 93,626,469 common shares issued and outstanding.

CNSX has not reviewed and does not accept responsibility for the adequacy or accuracy of this release.

Forward Looking Statements: Statements made in this news release that relate to future plans, expectations, events or performances are forward looking statements. Such statements involve risks and uncertainties and are based on current expectations. Consequently, actual results could differ materially from the expectations expressed in these forward-looking statements.

About Spruce Ridge Resources Ltd.

Spruce Ridge Resources is engaged in exploring its Nora Lake and Knucklethumb Lake gold properties in the Beardmore-Geraldton greenstone belt of northwestern Ontario and the Kramer gold property in Western Newfoundland. It has also made a substantial investment in RX Exploration inc., which is exploring the former past producing Drumlummon gold mine in Montana. The company has optioned its Newfoundland uranium properties to Delta Uranium Inc.

For further information about Spruce Ridge, please contact:

John Ryan, President & CEO
Spruce Ridge Resources Ltd.
Phone: 519-428-5327
Email: spruceridgeresources@gmail.com

The TSX Venture Exchange has not reviewed and does not accept responsibility for the adequacy or accuracy of this news release.